



KTF187ND

MATERIAL AND TECHNICAL CHARACTERISTICS MANUEL

INDEX :

- 1. CHARACTERISTICS**
- 2. INSIDE , OUTSIDE DIMENSIONS**
- 3. EXPLODED WIEV**
- 4. SPARE PART LIST**
- 5. GAS AND ELECTRICAL SCHEMA**





CHARACTERISTIC SPECIALITIES

Climate Class	:E
Safety Class	:1
Working Temperature C	:-2C / +8C
Thermostate Set Temperature :-1C	
Environment Temperature	:+43C
Environment Moisture Propertion :%65	
Energy Consuption	:0,195 KW/h
Power	:0,20 KW
Voltage- Frekans	:240V / 50 Hz

ACCESORIES AND CONTROL SWITCHES


Digital Thermometer	: EVC SPECIAL DIGITAL
Energy Lamp	: Ad / PCC1
Power Switch	: Ad / PCS1
Hinges Group	: Ad / PCS3
Stand	: 4 PCS STAINLESS STEEL FEET
Shelf	:3 Ad.Plastik Kaplı Raf / 3 Unts Plastic Coated Shelf

TECHNICAL CHARACTERISTICS


Outside Dimensions	:1865x700x870mm
Inside Dimensions	:1295x562x605mm
Package Dimensions	:1970x800x1100mm
Inside Volume	: 474 lt
Gross Weight	: 175 kg
Net Weigt	: 165 kg
Outside Body	: 0,60 mm INOX 430 SB+PVC
Inside Body	: 0,50 mm INOX 430 MAT+PVC
Insulation Metarial Thicnes : 60 mm	
Insulation Metarial Volume : 42 Kg / m3 +/-1	
Compresor	: NEK 6181 U R290 50Hz
Condanser	: 1/2 Hp CONDENSER R290
Condanser Fan	: 10/38W--0,23A--1300/1550 Rpm
Evaporatör	: NTV tip evap / NTV type evap
Evaporatör Fan	: KELLIMOTOR EVAPORATOR FAN
Dryer	: 30 gr 15002SGDR02 Çift Girişili
refrigerator Gas	: R290
Ref. Gas Quantity	: 80 gr
Certifications	: TS 2225 EN 60335-2-4' ye uygundur.
Serial No	: Ambalajlı Halde Okunacak Şekilde Uygun Yere Yazılır / Packed And Easy Read
Packing	: Alta Tahta Palet, Karton ve Havalı Naylon İçinde / Wooden Palet İs Down And Covered
Quality Time	: Kullanım Noktasına Ulaşımından İtibaren İmalat Hatalarına Karşı 2 Yıl. Her Ürün İle Garanti Belgesi ve Yetkili Servis Listesi Mevcuttur. / 2 Years After arriving the end user point. Warranty Certicate and User Manuel With the Unit.

SPARE PART LIST

NO	MATERIAL NAME	ADET QTY
1	DOOR	3
2	DOOR GASKET	3
3	LOVER HINGE BRACET	3
4	COUNTER HINGE KIT	3
5	UPPER HINGE	3
6	UPPER HINGE PIM	3
7	HINGE PLASTIC	3
8	PROP - 1,5mt	1
9	PROP - 3mt	1
10	PLUG CABLE	1
11	PROP COVER	2
12	STAINLESS STEEL LEG	5
13	SHELF-CGN 530x333	3
14	SHELF-GUIDE-CGN 530m	6
15	SHELF RACKET- BACK	4
16	SHELF RACKET- SIDE	4
17	SHELF RACKET- MIDDLE	4
18	CONDANSER FAN PLASTIC	1
19	10W-FAN MOTORU	1
20	1/2 Hp CONDANSER R290	1
21	200W RESISTANCE	1
22	WATER BOX	1
23	DRAYER	1
24	NEK 6181 U R290 50Hz	1
25	CGN-BGN WIRE SHELF	2
26	FAN	2
27	EVAPORATOR	1
28	EVAPORATOR CUP	1
29	CANOPY BGN-EVC	1
30	TOUCH CONTROL DIGITAL	1
31	DIGITAL LABEL	1
32	POWER SWITCH	1
33	EVC SPECIAL DIGITAL	1
34	ON-OF SWITCH	1
35	MAGNET HINGE	2
36	CANOPY HINGE	1
37	WHEELS	3
38	WHEELS BRAKE	2
39	WATER PROOF DIJITAL	1



HORIZONTAL REFRIGERATORS NORMAL ELECTRICAL SCHEMA



XR06CX :DIJITAL TERMOSTAT
 M1: CONDENSER FAN MOTOR
 M2 : EVAP FAN MOTOR
 S1 : ROOM PROB
 S2 : EVAPORATE PROB

L1 : POWER LAMB
 L2 : ON OFF LIGHT
 R: EVAPORATE REZISTANCE