## **M** WARNING!

Please read the user manual carefully before using the machine.

# **USER'S MANUAL**

#### 1. Description

The product is the cooling facility special designed for hotel, restaurant, supermarket, cake house to show cake, soft drink, food etc.. It has handsome appearance quality material, vacuum movable door, transparent glass and inner light. Cooling system adopted famous brand of whole close cooling compressor and all kinds of spare parts.

Therefore, the product has the strongpoint of handsome appearance, rational design, quick cooling, electric saving, low noise, no frost and suitable temperature.

#### 2. Main technical data

Model	Temperature	Voltage/ Frequency	Input power	Dimension	N.W
KTH9225	2-8℃	220V/50Hz	0.45kw	900*600*1000mm	95kg
KTH1435			0.67kw	1400*600*1000mm	135kg

#### 3. Safety attention

(1) You must use single-phase three poles power socket, its grounding E must be grounded reliably.

(2) Forbid stocking volatile, erosive, radioactive, flammable, explosive, poisonous and polluted dangerous food.

(3) Please don't put power wire on aisle to prevent heaving pressure and edge tool from creepage accident.

(4) Don't wash the showcase by water to prevent from short circuit and creepage accident.

(5) Please cut off power socket when repairing or replacing light.

#### 4. Operation attention

(1) Please put the showcase lightly when moving and gradient isn't more than  $45^{\circ}$ .

(2) Please put it in ventilated and dry place and be away from heat source and dust to prevent from affecting cooling effect.

(3) If the socket don't have grounding device, please make the hull ground to prevent from creepage accident.

(4) The power capacity shouldn't be less than 200V, please check circuitry and capacity before operation. If the power isn't coherent with power requirement, please add manostat whose capacity is more than 1000W before reusing.

(5) The thermostat has been adjusted to best place before out of factory. You shouldn't adjust it.

(6) The time between turn off and turn on again can't be less than 3 minutes.

(7) Please don't put too much or overhot food.

(8) Please assure the inner and surface of showcase is clean.

(9) It has water plate, you should get rid of the water in the plate periodically.

(10) Cabinet must not put too much hot food, to avoid creating excessive transient load; display cabinet shelf to place the weight of not more than 5Kg, will cause excessive loss shelving and shelf rings, and affect the cabinet's air flow.

### 5. Maintenance

(1) If found special situation, please don't dismantle parts and should invite professional technician.

(2) The time between turn off and turn on again should be more than 3 minutes.

(3) Please get rid of dust and oil pollution periodically to improve cooling effect.

(4) If you stop operating the showcase for a long time, you should cut off power, make it clean and put it in dry and ventilated place. Please check the electrical wire strictly by technician before operation again.

Phenomena	Possible reason			Check content	Solvation
	Compressor	Power has no electric		Check by multimeter	Connect power
	doesn't work	Socket is loose		examine	Tight socket
Indicator doesn't		Thermostat foot is loose		Check by multimeter	Jointing or tighten it
		Relay foot is loose		Check dismantled	Tighten it
work				cover	
	Compressor is	Indicator doesn't work		Dismantle indicator	Replace indicator
	working	Indicator foot is loose		examine	Tighten foot
Compressor is working	Inner temperature is too high	Evaporator	Cooling fan doesn't	Check by multimeter	Replace fan
		wing is blocked	work		
		by ice	Temperature is too	examine	adjust
		low			
		Opening door too often			Opening door as few
					as possible
		Stock is too large			Take out some food
		Environment temperature is too high		Test	Improve environment
				By temperature meter	temperature
		Cooling fan doesr	i't Cooling fan is	Check by temperature	Replace fan
		work	bad		
			Foot is loose	examine	Tighten foot
	Inner			Check thermostat	Replace thermostat
	temperature has	mperature has Thermostat is bad			
	been achieved				
High noise	Showcase isn't pu	t flat		examine	Make flat
	Fan/compressor for	oot is loose		examine	Tighten screw

#### 6. Familiar trouble and salvation

### 7. Guarantee


We are responsible for maintenance for 1 year in the case of operation according to the user's manual. If the spare parts is bad caused by our bad quality, we are responsible for replace and repairing (expect glass)

You should pay rational fee after repairing the trouble caused by reasons as follows:

(1)The trouble caused by disobeying requirements on user's manual.

(2)The trouble caused by using spare parts by yourself.

(3)The trouble caused by bad capacity fluctuate value or other natural factor.



# **M** WARNING!

It's forbidden to tear down the machine or replace the component and refrigertion units by nonprofessional.