



**Braising Bread Cabinet
Instructions**



Professional Western kitchen equipment Manufacture Factory

Catalog

1、	Idea for keeping safe.....	1
2、	Safety issues.....	1
3、	Purpose.....	3
4、	Components Name.....	3
5、	Using Methods.....	4
6、	Maintenance	5
7、	the time when no using.....	7
8、	Storage.....	7

1. Idea for keeping safe

Thanks for your using our products, we suggest that pay more attention to the remarks in avoid any accidents carefully before using.

2.1 Safety issues

Warning

- ! Please make the cabinet on the place without rain and snow., the wet cabinet will be get an electric shock and damage.
- ! Must install according to the standards, Improper install will be caused fell down, get an electric shock, firing and water leakage.
- ! The jack must insert into special single-phase 230V/15A. or else will be caused an electric shock and firing, if you are not sure about the jack specification, please consultation local service.
- ! Must connect with the ground wire, it will be caused an electric shock, short circuit or firing if without ground wire
- ! Please do not connect the ground wire with windpipe, water pipe, lightning line or phone line, or else it will be caused an electric shock or firing
- ! Please do not press or distort electric wire, or else the damage electric wire will be caused an electric shock or firing, please exchange in our local service place if the electric wire damage.

Caution

- ! Please do not transit this cabinet by yourself, please take with two persons to avoid any damage.
- ! Please make the cabinet on the smooth area, or else the cabinet will be fell down.
- ! Please keep the cabinet top away the around at least 10cm
It will be caused braising not very uniformity if unclean which will make the breads worse.

2.2 Using

Warning

- ! Please do not touch the jack with wet, or else will be caused an electric shock. Also do not handle any

switch with wet.

- ! Please hold the jack part when you pull the electric wire, please do not pull with big strength, or else will be caused an electric shock or firing.
- ! Please do not use flammability or volatility beside the cabinet, or else will be caused fire or blast.
- ! Please do not heat tin or bottle soda pop, or else will be blast.
- ! Please do not put the solvent or chemical (such as alcohol, thinner) into the cabinet, or else will be blast
- ! Please do not make the water overflow when add water, or else will be caused an electric shock, if have water overflow, please wipe up at once.
- ! Please do not direct dumpage hot water, or else the hot airflow will burn you, please open 5mm to let the airflow out.
- ! Please do not put your hands in the cabinet when it hot, please use clip to take the bread out, or else will burn you.

Warning

- ! When the cabinet is hot, you only can touch the handle and switch, or else will burn.
- ! Please open the door at least 10 minute when the cabinet is hot, then clean the cabinet, or else will burn you.
- ! Please close the power supply, please pour the water out after 40 minutes, or else will burn you.
- ! Please do not spray water or direct clean with water, or else will get an electric shock or make the cabinet damage.
- ! Please keep the cabinet electric components away rain and water, or else will get an electric shock
- ! Please close the power supply when you check, clean and maintenance. Or else will get an electric shock.
- ! Please close the switch and power supply if appear the below urgent:
 - The function parts wet
 - The cabinet damage
 - The cabinet is smoking or smell not well.
 - It will get an electric shock or fire If you continue to use when appear above issue
- ! If the machine wet and lead any accident, please change all the wire, or else will get an electric shock or fire
- ! In avoid any accident, Please do not remove the cabinet
- ! Please do not use chemical when you clean, or else will lead accident.

2.3 Safety

Please read carefully before you use.

- ! Do not put any products on the cabinet, or else will scratch or damage the cabinet.
- ! Please do not pour the water into the machine unless add the water into the water pipe. Or else will make the machine damage.
- ! Please do not use any cleanser when you clean the cabinet, or else will make the parts damage.
- ! Please clean the machine inside everyday, or else will smell not well, please exchange at least 3 times one day (one time every 8 hours).

Remarks: it is not a accident when the hot water overflow, if so, please exchange water.

3、 Purpose

Warning

! Please do not heat tin or bottle soda pop, or else will blast.

! Please do not store solvent or chemical(such as alcohol, thinner), or else will blast when the cabinet heat.

4、 Components Name

! Machine body

! Control Board

5、 Using methods

5.1 The preparation before using

①Please take out the tray and clean.

Please do not use any cleanser when you clean inside

②Please use a wet cloth to wipe the cabinet inside and outside, then wipe with a dry cloth.

③Please connect the light pin with the jack.

④Please make the water in a jug then pour the water to the water pipe. Please do not let the water overflow, or else will get an electric shock, if overflow, please wipe at once

⑤Connect the pin with the jack

5.2 Braising Chinese Bread

Warning

! Please keep far away from the cabinet when it still hot, or else will burn.

! Before you open the door, please open 5cm and let the air out, please make the face away from the cabinet at least 50cm when you open the door.

! Please do not put your hands in the cabinet when it still hot, or else will burn, please use a clip to take the bread.

! Open the switch and adjust the temperature (the temperature can not over 100°C)

- ① Please put the Chinese bread on one clean tray, one tray can hold 9pcs, please do not stack or adhesive.
- ② The temperature will up to 70°C when heat 20-30 minutes
- ③ The instruction light will be close when the temperature up to the enactment temperature, the temperature inside will keep constant.
- ④ Please open 5cm first and let the air out before you total open the door, please pull the tray 2/3 and use clip take the bread out , the push it into.

5.3

- ① Pull the tray and clean with water
- ② Put the Chinese bread on the clean tray, put the new bread on the top tray and take the ripe bread first

5.4 add water

Warning

- ① Do not pour the water into the cabinet, or else will lead an electric shock, if the water over flow, please wipe with dry cloth at once. Please do not exceed the highest water level when you add water, however must exceed the lowest water level that can heat, when using, the water reduce to the lowest water level, it must stop heat and won't heat until add water.

6、 maintenance

6.1 Exchange water

exchange one time every 8 hours, please prepare one plastic bucket (at least 4L)

Warning

! Please close power supply and jack before check ,clean and maintenance

! Close power supply first, and swill after 40 minutes, or else will scald

! In avoid any accident, please do not touch jack with wet

- ① Close switch , then pull the jack
- ② Catch the waterspout , and fold
- ③ wring the waterspout plug
- ④ Please put the fold waterspout into the plastic bucket
- ⑤ Then let the water flow into the bucket
- ⑥ Please wring the plug well after all the water out
- ⑦ Use a water jug to add water (about 4L)
- ⑧ Then open the power supply

6.2 Cleaning

Please clean everyday

Warning

- ! Please close power supply and jack before check ,clean and maintenance
- ! Please open the door at least 10 minutes when maintenance , or else will scald
- ! In avoid any electric shock , please do not touch jack with wet.
- ! Do not use any cleanser when clean cabinet

- ① close power supply, pull the jack.
- ② Open the door, pull the tray with cloth
- ③ After open the door, please wait 10 minutes until the temperature down
- ④ Clean the door with a dry cloth.
- ⑤ Then put the tray in the cabinet

7、 the time when no using

Stop operate the cabinet according to below steps

Warning

- ! Please close power supply and jack before check ,clean and maintenance
- ! Please open the door at least 10 minutes when maintenance , or else will scald
- ! In avoid any electric shock , please do not touch jack with wet.

! Please do not use any chemicals when clean.


- ① Close power supply, then pull the jack.
- ② Open the door, use clip
- ③ After open the door, please wait 10 minutes until the temperature down
- ④ Catch the waterspout , and fold
- ⑤ wring the waterspout plug
- ⑥ Please put the fold waterspout into the plastic bucket
- ⑦ Then let the water flow into the bucket
- ⑧ Please wring the plug well after all the water out
- ⑨ Please use a wet cloth to clean the door
- ⑩ After take the Chinese Bread, clean the tray with dry cloth.
- ⑪ Then put the tray into the cabinet

8、 Storage

Warning

- ① Please refer to part seven

- ② Tidy the wire
- ③ Open the cabinet door and let it dry.
- ④ The pack the cabinet with polybag, then put into carton and storage in a wind flow area



No.	Material
1	Top board
2	Back baffle
3	Side baffle
4	Light bulb
5	Down board
6	Left back column
7	Back glass
8	Top glass
9	Shelf
10	Right back column
11	Right support frame
12	Side glass
13	Glass fixed board
14	Down surrounding
15	Water pipe
16	Element
17	Outlet pipe
18	Bottom board
19	Foot
20	Left support frame
21	Front board
22	Handle
23	Left front column
24	Top glass board
25	Door glass
26	Outdoor board
27	Inside door board
28	Light bulb wire
29	Front right column
30	Water tank baffle
31	Hinge
32	Temperature code baffle
33	Door board
34	Surrounding board
35	Terminal
36	Rectifier
37	Heating light
38	Thermostat
39	Switch
40	Power outlet
41	Machine wire
42	Kettle

GGM Gastro International GmbH

Weinerpark 16, 48607 Ochtrup

www.ggmgaastro.com